



Soil Map—San Benito County, California
(Lime Kiln AVA Soil Survey)



Map Scale: 1:29,700 if printed on A portrait (8.5" x 11") sheet.




Map projection: Web Mercator Corner coordinates: WGS84 Edge ticks: UTM Zone 10N WGS84

Soil Map—San Benito County, California
(Lime Kiln AVA Soil Survey)


MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features


Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: San Benito County, California
Survey Area Data: Version 22, Sep 9, 2021

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Mar 25, 2019—Mar 31, 2019

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
1003	Sheridan-Rock outcrop complex, 30 to 75 percent slopes, severely eroded	39.6	1.0%
AuE	Auberry fine sandy loam, 15 to 30 percent slopes	16.2	0.4%
BaG	Badland	29.3	0.7%
CgG2	Cieneba gravelly sandy loam, 30 to 75 percent slopes, eroded	36.2	0.9%
CoD2	Cometa sandy loam, 5 to 15 percent slopes, eroded	24.2	0.6%
DaE2	Diablo clay, 15 to 30 percent slopes, eroded, MLRA 15	147.6	3.7%
DaF2	Diablo clay, 30 to 50 percent slopes, eroded, MLRA 15	867.7	21.9%
HaA	Hanford coarse sandy loam, 0 to 2 percent slopes	169.9	4.3%
HaC	Hanford coarse sandy loam, 2 to 9 percent slopes	434.2	11.0%
HfA	Hanford loam, 0 to 2 percent slopes	14.2	0.4%
HfC	Hanford loam, 2 to 9 percent slopes	28.3	0.7%
LdF	Landslides	7.6	0.2%
MsC	Mocho clay loam, 2 to 9 percent slopes, MLRA 14	35.8	0.9%
NcG3	Nacimiento loam, 30 to 75 percent slopes, severely eroded	55.9	1.4%
Pc	Pacheco loam	162.8	4.1%
PvC2	Pleasanton gravelly loam, 5 to 9 percent slopes, eroded, MLRA 14	15.8	0.4%
RsC	Rincon silty clay loam, 2 to 9 percent slopes, MLRA 14	13.1	0.3%
SbF2	San Benito clay loam, 30 to 50 percent slopes, eroded, MLRA 15	13.3	0.3%
Sc	Sandy alluvial land	93.3	2.4%
SkD	Sheridan coarse sandy loam, 9 to 15 percent slopes	35.3	0.9%
SkE2	Sheridan coarse sandy loam, 15 to 30 percent slopes, eroded	136.9	3.5%

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
SkG2	Sheridan coarse sandy loam, 30 to 75 percent slopes, eroded	15.1	0.4%
SkG3	Sheridan coarse sandy loam, 30 to 75 percent slopes, severely eroded	1,486.6	37.6%
SrC	Sorrento silty clay loam, 2 to 9 percent slopes, MLRA 14	74.0	1.9%
Totals for Area of Interest		3,953.0	100.0%